

# Los Reyes Project



Table 1: Reported Drill Intercepts - Tahonitas<sup>1</sup>

Hole ID	From (m)	To (m)	Interval (m)	Estimated True Width (m) <sup>2</sup>	Au (gpt)	Ag (gpt)	Au Cut-off <sup>3</sup>
21TA-12	68.10	72.35	4.25	4.20	0.47	33.91	0.2
21TA-12	101.50	103.00	1.50	1.50	0.43	1.40	0.2
21TA-12	107.50	109.00	1.50	1.50	0.29	0.90	0.2
21TA-12	186.00	187.50	1.50	1.50	0.28	2.90	0.2
21TA-12	197.65	199.15	1.50	1.50	0.37	1.80	0.2
21TA-12	205.15	206.60	1.45	1.40	0.22	5.60	0.2
21TA-12	207.60	208.60	1.00	1.00	0.73	17.20	0.2
21TA-13	49.75	51.00	1.25	1.30	0.95	23.20	0.2
21TA-13	130.50	132.00	1.50	1.50	0.74	1.30	0.2
21TA-13	143.85	145.20	1.35	1.40	0.63	4.70	0.2
21TA-13	153.00	153.70	0.70	0.70	0.37	3.10	0.2
21TA-13	158.60	159.60	1.00	1.00	0.25	2.30	0.2
21TA-14	76.50	85.20	8.70	7.50	0.47	46.31	0.2
21TA-14	86.55	87.30	0.75	0.60	0.26	121.20	0.2
22TA-15	3.00	6.00	3.00	2.30	0.26	2.30	0.2
22TA-15	12.00	13.50	1.50	1.10	0.37	0.50	0.2
22TA-15	61.50	63.00	1.50	1.10	0.49	42.80	0.2
22TA-15	147.00	148.50	1.50	1.10	0.30	0.25	0.2
22TA-16	6.00	11.00	5.00	3.80	0.31	10.12	0.2
22TA-16	30.00	31.50	1.50	1.10	0.42	1.40	0.2
22TA-16	43.50	45.00	1.50	1.10	0.95	0.50	0.2
22TA-16	67.95	69.00	1.05	0.80	0.41	6.30	0.2
22TA-17	105.00	118.50	13.50	9.50	0.86	51.13	0.2
including	115.50	117.00	1.50	1.10	4.36	228.00	1.0
22TA-17	138.00	139.50	1.50	1.10	1.23	2.30	0.2
22TA-18	175.50	178.50	3.00	2.60	0.33	34.65	0.2
22TA-18	185.10	188.50	3.40	2.90	6.08	103.48	0.2
including	185.10	186.35	1.25	1.10	13.50	123.10	1.0
22TA-18	241.50	243.00	1.50	1.30	0.24	129.60	0.2
22TA-18	262.80	264.00	1.20	1.00	0.36	2.10	0.2

Table 1 (con't): Reported Drill Intercepts - Tahonitas<sup>1</sup>

Hole ID	From (m)	To (m)	Interval (m)	Estimated True Width (m) <sup>2</sup>	Au (gpt)	Ag (gpt)	Au Cut-off <sup>3</sup>	
22TA-19	19.50	21.00	1.50	1.40	0.23	4.40	0.2	
22TA-19	22.50	24.00	1.50	1.40	0.21	1.40	0.2	
22TA-19	61.10	62.60	1.50	1.30	0.22	8.30	0.2	
22TA-19	85.50	90.00	4.50	3.90	0.40	15.37	0.2	
22TA-20	82.50	94.05	11.55	10.50	0.46	32.92	0.2	
including	83.50	84.30	0.80	0.70	1.46	176.70	1.0	
22TA-21	8.10	9.00	0.90	0.80	0.22	7.00	0.2	
22TA-21	18.00	19.50	1.50	1.30	0.48	1.60	0.2	
22TA-21	60.00	60.90	0.90	0.80	0.32	4.50	0.2	
22TA-22	58.50	60.50	2.00	1.80	0.99	66.45	0.2	
22TA-22	99.00	100.50	1.50	1.40	0.36	6.90	0.2	
22TA-22	207.00	208.50	1.50	1.40	0.21	4.20	0.2	
22TA-23	97.50	102.00	4.50	4.20	3.12	24.50	0.2	
including	99.00	100.50	1.50	1.40	7.67	34.40	1.0	
22TA-23	106.50	115.30	8.80	8.00	0.71	117.55	0.2	
including	109.90	112.50	2.60	2.40	1.28	264.85	1.0	
22TA-23	138.00	139.50	1.50	1.40	0.47	26.60	0.2	
22TA-24	60.00	63.00	3.00	2.70	0.42	27.45	0.2	
22TA-24	75.00	76.50	1.50	1.40	0.23	13.70	0.2	
22TA-24	78.00	85.50	7.50	6.80	0.55	12.86	0.2	
22TA-24	88.00	89.35	1.35	1.20	0.32	37.60	0.2	
22TA-24	109.50	111.80	2.30	2.10	0.38	10.58	0.2	
22TA-25	57.00	66.00	9.00	8.20	0.37	38.56	0.2	
22TA-25	70.50	72.00	1.50	1.40	0.25	1.30	0.2	
22TA-25	123.00	124.50	1.50	1.40	0.36	2.00	0.2	
22TA-25	144.00	145.50	1.50	1.40	0.24	6.00	0.2	
22TA-25	183.00	184.35	1.35	1.20	1.19	26.60	0.2	
22TA-25	201.00	204.00	3.00	2.60	0.93	24.35	0.2	
22TA-26		abandoned at 48m (redundant hole)						
22TA-27	129.00	133.50	4.50	3.90	0.92	104.40	0.2	
including	129.00	130.50	1.50	1.30	1.97	244.00	1	
22TA-27	141.00	142.50	1.50	1.30	0.21	11.70	0.2	
22TA-27	156.00	157.50	1.50	1.30	0.28	22.40	0.2	
22TA-27	172.50	174.00	1.50	1.30	0.25	46.50	0.2	
22TA-27	176.00	177.00	1.00	0.90	1.55	6.80	0.2	

**Table 1 (con't): Reported Drill Intercepts - Tahonitas<sup>1</sup>**

Hole ID	From (m)	To (m)	Interval (m)	Estimated True Width (m) <sup>2</sup>	Au (gpt)	Ag (gpt)	Au Cut-off <sup>3</sup>
22TA-28	51.00	52.50	1.50	1.40	0.31	25.60	0.2
22TA-28	73.20	81.00	7.80	7.50	0.42	44.97	0.2
22TA-28	82.50	97.00	14.50	14.00	0.45	64.47	0.2
22TA-28	105.00	106.50	1.50	1.50	0.29	1.00	0.2
22TA-28	118.50	120.00	1.50	1.50	3.08	7.90	0.2
22TA-28	145.50	147.00	1.50	1.50	0.26	1.90	0.2
22TA-29	54.00	55.00	1.00	0.60	0.43	54.10	0.2
22TA-29	57.00	64.50	7.50	4.80	0.26	9.09	0.2
22TA-29	72.00	82.50	10.50	6.70	1.37	11.37	0.2
including	72.00	75.00	3.00	1.90	3.81	33.55	1.0
22TA-30	109.00	115.50	6.50	6.40	0.62	35.85	0.2
22TA-31	202.5	205.5	3.00	1.5	0.72	7.25	0.2
22TA-31	207	210	3.00	1.5	0.25	7.25	0.2
22TA-31	217.5	219	1.50	0.8	0.33	3.1	0.2
22TA-31	228	229.5	1.50	0.8	0.41	4.6	0.2
22TA-31	250.5	252	1.50	0.8	0.36	7.1	0.2
22TA-31	258	259.5	1.50	0.8	1.25	5	0.2
22TA-31	317	322.2	5.20	2.6	0.61	4.53	0.2
22TA-31	351.6	353.55	1.95	1	0.47	19.65	0.2
22TA-31	360	364.5	4.50	2.2	0.99	41.4	0.2
including	360	361.5	1.50	0.8	2.28	37.7	1
22TA-31	367.5	369	1.50	0.8	1.59	2.2	0.2

**Footnotes**

<sup>1)</sup> A complete table of assay results from all deposits and all secondary zones intersected utilizing a 0.20 gpt Au cut-off is on the Company's website.

<sup>2)</sup> True widths are estimated based on drill hole geology or comparisons with other on-section drill holes.

<sup>3)</sup> Composite assay grades presented in summary tables are calculated using a Au grade minimum average of 0.20 gpt or 1.0 gpt as indicated in "Au Cut-off" column of Summary Tables. Maximum internal waste included in any reported composite interval is 3.00 m. The 1.00 gpt Au cut-off is used to define higher-grade "cores" within the lower-grade halo.

<sup>4)</sup> Backfilled stope